AMENDMENTS TO THE ABSTRACT

Kindly replace the original Abstract with the enclosed Abstract.

ABSTRACT OF THE DISCLOSURE(clean copy)

A labeling apparatus of the present invention is constituted by: at least three support rollers which come into contact with the outer surface of the vial to rotate; an arm for rotatably supporting the support rollers; a rotation unit (rotation rollers) for rotating the vial held by the support rollers; a label supply unit for supplying labels to be attached on the outer surface of the vial; and an endless member which rotates according to the rotation of the vial between a first support roller with which the label fed from the label supply unit comes into contact first and a second support roller with which the label comes into contact second.

ABSTRACT OF THE DISCLOSURE(mark-up)

A labeling apparatus of the present invention is constituted by: at least three support rollers 156a-156e which come into contact with the outer surface of the vial 3-to rotate; an arm 155a, 155b-for rotatably supporting the support rollers 156a-156e; a rotation means unit (rotation rollers 210a, 210b) for rotating the vial 3-held by the support rollers 156a-156e; a label supply means 200 unit for supplying labels 4-to be attached on the outer surface of the vial 3-between a first support roller 157-which rotates according to the rotation of the vial 3-between a first support roller 156a-with which the label 4-fed from the label supply means 200 unit comes into contact firstly first and a second support roller 156b-with which the label 4-comes into contact secondary second.